

The First Steps in Seeing

R. W. Rodieck

*Bishop Professor
The University of Washington*



Sinuer Associates, Inc. • Publishers
Sunderland, Massachusetts

Brief Contents

<i>Prologue</i>	The watch	1
1	The chase	6
2	Eyes	20
3	Retinas	36
	SIZE	57
4	The rain of photons onto cones	68
	NEURONS	89
5	A cone pathway	102
6	The rain of photons onto rods	122
7	Night and day	134
	PLOTTING LIGHT INTENSITY	151
8	How photoreceptors work	158
	RHODOPSINS	188
9	Retinal organization	194
10	Photoreceptor attributes	210
11	Cell types	224
12	Informing the brain	266
13	Looking	292
14	Seeing	326
<i>Epilogue</i>	Ignorance	361
<i>TOPICS</i>		367

Contents

Preface xiii

Prologue The watch 1

1 *The chase* 6

Vision is dynamic 8

- Eye movements catch images and hold them steady on the retina 9
- Saccadic and smooth eye movements are used to catch and hold images 10
- The image of the visual world is always moving on the retina 11
- Image motion elicits smooth pursuit 11
- What we see doesn't move when we move our eyes 12
- Orientation and transition 14

The neural substrate 14

- Orientation and transition 16

Catching the light 17

- Orientation and transition 19

2 *Eyes* 20

The eyes of all vertebrates show a common structural plan 22

The interior of the eye can be viewed with the aid of a simple optical device 22

SIMILARITIES AND DIFFERENCES 23

Most eyes are specialized to view either a point, or the visual horizon, or a mixture of both 26

RETINITIS PIGMENTOSA 27

THE RETINA IS NOURISHED ON BOTH SIDES 28

The left brain views the right visual field 31

FUNDI OF CHEETAHS AND GAZELLES 32

3 *Retinas* 36

Retinal structure 38

- The retina is layered 38
- The retina is a neural circuit composed of different cell classes 39
- The retina detects and compares 40
- Cones concentrate in the fovea 42

A brief functional walk through the retina 43

VISUALIZING SINGLE NEURONS 44

Photoreceptors 44

Horizontal cells 45

Bipolar cells 50

Amacrine cells 53

Ganglion cells 53

The basic circuitry throughout the retina is the same 55

INTERLUDE Size 57**Numbers and units** 57

Scientific notation 57

SI units 57

Matters of scale 60

Summary 65

Logarithmic scales 65**4 The rain of photons onto cones** 68

We see a star when its photons activate our neurons 70

Heated bodies radiate photons over a range of frequencies 70

PHOTONS ARE PARTICLES OF LIGHT 72

Some photons are lost in passing through the eye 73

LOOKING AT SPECTRAL DENSITY CURVES 74

PHOTONS ARRIVE ONE BY ONE 77

Why the lens and macula contain light-absorbing pigments 77

The image of a point of light is spread over many cones 78

The image of a point of light characterizes the optical properties of the eye 78

The peak of the image approximates the size of a single cone 80

The capture of photons by cones depends upon their direction and frequency 82

An absorbed photon must activate a visual pigment molecule 85

The principle of univariance captures what photoreceptors respond to 86

INTERLUDE Neurons 89

Water molecules are polar 89

Cell membranes block the movement of polar molecules 90

Separation of charge across the cell membrane produces a voltage 91

Charge separation tends to be distributed uniformly across the cell membrane 92

Ions can pass through aqueous pores in the cell membrane 94

Neural communication depends upon voltage-gated ionic channels 95

Pumps use metabolic energy to move ions up energy gradients 96

Exchangers use the energy gradients of some ions to move other ions up their energy gradients 96

Synapses are sites of communication between neurons 97

Chemical synapses involve the release and detection of a neurotransmitter 97

Gap junctions provide sites of intracellular continuity between cells 99

Ribbon synapses occur at sites of continuous neurotransmitter release 100

5 A cone pathway 102

A change in photon capture causes a change in neurotransmitter release 104

Pathways from cones to ganglion cells 106

Each cone contacts a few hundred processes of bipolar and horizontal cells 106

Horizontal cells antagonize cones 109

The response of a bipolar cell depends upon the types of contact it makes 110

Bipolar cells are presynaptic to both amacrine and ganglion cells 111

Amacrine cells provide feedback and thus complexity 112

Ganglion cell dendrites are always postsynaptic 114

We see a star when its photons activate our neurons—concluded 115

Neural messages depend upon an increase in firing rate 116

Each type of parasol cell tiles the retina 118

We see Polaris by means of messages conveyed by arrays of parasol cells 118

The axons of parasol cells go to the magnocellular portion of the LGN 119

6 The rain of photons onto rods 122

Away from the fovea, the retina is dominated by rods 124

VISUAL ANGLE AND RETINAL ECCENTRICITY 125

CALCULATING THE ROD PHOTON CATCH 126

Rods contact a single type of bipolar cell 126

Rod bipolar cell axons make contacts in the innermost portion of the inner synaptic layer 129

All amacrine cells convey the rod signal to cone bipolar cells 129

Viewing Polaris with your rod pathway 132

STELLAR MAGNITUDES 133

7 Night and day 134**Rods reliably signal the capture of single photons 136**

The advantage of a reliable response to a single photon is enormous 136

Dim lights are noisy 137

ESTIMATING VARIATION 140

Rods are noisy 140

Rods saturate 143

Rods have a limited dynamic range 143

Rod bipolar cells receive a compressed rod input 144

Cones are adapted for daylight vision 146

Cones can signal the capture of single photons, but are noisier than rods 146

Cones do not saturate to steady light levels 147

Why rods and cones? 147**INTERLUDE Plotting light intensity 151**

The range of light intensities in the environment is enormous 152

Rod photon catch 154

Cone photon catch 154

8 How photoreceptors work 158**How a rod responds to a single photon 161**

Photoactivation 161

Biochemical cascade 163

NUCLEOTIDES 164

R* activates many G molecules 166

Channel amplification results from multiple binding sites for cG 168

The effect of R* extends over 20% of the length of the outer segment 169

The electrical response to an absorbed photon is a photocurrent 171

Electrotonic spread 173

THINKING MORE DEEPLY ABOUT CURRENT FLOW 174

Synaptic deactivation 175

CALCIUM ENTRY 175

Decrease in glutamate concentration 176

Summary of the rod response to a single photon 176

How rods and cones respond to many photons 177

The photocurrent response to a flash is predictable from

the single-photon response 177

Cones are similar to rods 178

Cones can convey the absorption of a single photon 180

Voltage-gated channels shape the response 181

The flash response predicts the response to other light intensity changes 181

How rods and cones respond at different light levels 182

The sensitivity of rod vision is much lower than that of individual rods 183

Rods saturate at bright light levels but cones do not 184

Photoreceptors generate spontaneous photonlike events 186**INTERLUDE Rhodopsins 188**

Rhodopsins are ancient 190

Point mutation in rod rhodopsin can lead to retinitis pigmentosa 192

9 Retinal organization 194

Is there a theory of retinal structure and function? 196

Neural interactions 197

Chemical messengers 197

Cell coupling 198

Disposition of cells 198

CONTINUITY AND CONTIGUITY 199

Coverage 200

Tiling and territorial domains 201

The nasal quadrant of the retina has a higher density of cells 203

Differential retinal growth and cell birth dates shape spatial density 204

EQUIVALENT ECCENTRICITY 205

Formation of the fovea produces radial displacement in cell connections 206

The inner synaptic layer shows different forms of stratification 208

Synapses between retinal cells may follow simple rules 208

10 Photoreceptor attributes 210

Photoreceptor inner segments contain the metabolic machinery 212

Photoreceptor outer segments are continually renewed 212

Photoreceptors contain a circadian clock 214

FRUIT FLY CLOCKS 215

- S cones differ from M and L cones in a number of ways 216
- Most mammals are dichromats 217
- The genes for M and L cone rhodopsins lie together on the X chromosome 219
- The difference between M and L cones is recent 221
- In some New World monkeys only females are trichromats 222

11 Cell types 224

Cell types can be distinguished by the lack of intermediate forms 226

ARTIFICIAL CELL TYPES 230

Horizontal cells 231

Bipolar cells 235

- Midget bipolar cells 236
- S cone bipolar cells 239
- Diffuse cone bipolar cells 241
- Giant bipolar cells 242

Amacrine cells 242

- Starburst amacrine cells 243
- Dopaminergic amacrine cells 247
- A1 amacrine cells 252

Ganglion cells 255

- Midget and parasol ganglion cells dominate the primate retina 256
- Midget ganglion cells 257
- CELLS SIMILAR TO MIDGET AND PARASOL GANGLION CELLS ARE FOUND IN OTHER SPECIES 258
- Parasol ganglion cells 260
- Parasol ganglion cells are coupled to two types of amacrine cells 261
- Small bistratified ganglion cells compare S cones with M and L cones 263
- Biplexiform ganglion cells receive directly from rods 264

12 Informing the brain 266

Brain evolution guides retinal evolution 268

Ganglion cell axons terminate in many different sites in the brain 268

Ganglion cell types and their central projections are fundamental 268

Suprachiasmatic nucleus 270

IDENTIFICATION OF GANGLION CELL DESTINATIONS BY

MEANS OF RETROGRADE TRANSPORT 271

Accessory optic system 271

Superior colliculus 273

Pretectum 278

Pregeniculate 279

PREGENICULATE HOMOLOGS 280

Lateral geniculate nucleus 280

The lateral geniculate nucleus is composed of twelve distinct sublayers 281

VIEWING DIFFERENT PORTIONS OF YOUR VISUAL FIELD 281

The striate cortex contains a retinotopic map of the visual field 283

The signals from the two eyes are segregated into ocular dominance bands 284

The striate cortex is vertically layered 285

Messages from different ganglion cell types go to different portions of the striate cortex 286

13 Looking 292

What does the visual system need? 294

- The visual system needs time 294
- The visual system needs retinal information to stabilize the image 295
- The visual system needs to map the image to the external world 295

The geometry of gaze 297

- Head movements come first 297
- Eye movements depend upon viewing distance 298

How the eyes are moved 299

- Six muscles turn the eye 299
- Eye muscle pairs are reciprocally innervated 299
- RABBIT VISION 301
- Eye orientation is aligned with the visual horizon 302
- The vestibular apparatus provides information about head position and motion 303

LIVING WITHOUT A BALANCING MECHANISM 306

Saccades 306

- Saccades are typically small 308
- Saccades have limited positional accuracy 309
- Intersaccadic intervals are often brief 309
- Large changes in gaze combine eye and head movements 311

Movements of the head, eyes, and image 311

- The head is in constant motion 311
- The retinal image is in constant motion 314
- Smooth eye movements track stationary targets 317
- Stabilized images disappear 318

Retinal circuitry assists eye movements 318

- Some retinal ganglion cell types are specialized to detect image motion 319
- Rabbit on-off direction-selective cells are aligned with the eye muscles 319
- Rabbit on-direction-selective cells are aligned with the semicircular canals 322

14 Seeing 326**Exercises in seeing 328**

- Warm-up exercise: The extent of the visual world 328
- Exercise: Seeing out of the corner of your eye 329

Minimum angular resolution 331**Midget and parasol ganglion cells 333**

- Center-surround receptive field organization 333
- Transient and maintained response components 339
- ANTAGONISTIC AND SUPPRESSIVE SURROUNDS 340
- THE CHESHIRE CAT 341

- Midget and parasol cell responses to more complex stimuli are predictable 342

Summing cone inputs 344**Comparing cone inputs 345**

- COLOR AND LANGUAGE 341

Seeing with our visual pathways 356

- Neural snapshots 356

- As dusk approaches, the silencing of midgets gives luster to the world 357

- Parasol cells are important for perceiving form and movement 358

Epilogue Ignorance 361

- We do not know how ganglion cells respond under natural conditions 362

- We do not know how ganglion cell action potentials are used 363

- We do not know how cortical action potentials are used 364

- We do not know how the striate cortex deals with image movement 365

Topics 367

- ANGLES 369
- BIOCHEMICAL CASCADE 371
- BLACKBODY RADIATION 401
- CG-GATED CHANNELS 405
- CONE INPUT SPACE 417
- EXPONENTIALS 439
- LIGHT ABSORPTION 443
- OPTIMAL COLORS 447
- PHOTOMETRY 453
- PHOTON CATCH RATE 471
- POISSON DISTRIBUTION 485

RADIOMETRY	499
VISUAL PIGMENT REGENERATION	509
WAVELENGTH AND ENERGY	513

Notes 523

Appendices 542

A: SI units 542

B: Standard observer 544

References 547

Index 557