

Ion Channels of Excitable Membranes

Third Edition

BERTIL HILLE

UNIVERSITY OF WASHINGTON



SINAUER ASSOCIATES, INC. • *Publishers*
Sunderland, Massachusetts U.S.A.

Contents

CHAPTER 1 INTRODUCTION 1

- Channels and ions are needed for excitation 2
- Channels get names 5
- Channels have families 7
- Ohm's law is central 7
- The membrane as a capacitor 10
- Equilibrium potentials and the Nernst equation 13
- Current-voltage relations of channels 17
- Ion selectivity 21
- Signaling requires only small ion fluxes 21

PART I

DESCRIPTION OF CHANNELS

CHAPTER 2 CLASSICAL BIOPHYSICS OF THE SQUID GIANT AXON 25

- The action potential is a regenerative wave of Na^+ permeability increase 26
- The voltage clamp measures current directly 33
- The ionic current of axons has two major components: I_{Na} and I_{K} 35
- Ionic conductances describe the permeability changes 38
- Two kinetic processes control g_{Na} 42

The Hodgkin-Huxley model describes permeability changes 45
The Hodgkin-Huxley model predicts action potentials 52
Do models have mechanistic implications? 54
Voltage-dependent gates have gating charge and gating
current 56
The classical discoveries recapitulated 59

CHAPTER 3 THE SUPERFAMILY OF VOLTAGE-GATED CHANNELS 61

Drugs and toxins help separate currents and identify
channels 62
Drugs and toxins act at receptors 64
Gates open wide at the cytoplasmic end of the pore, and the pore
narrows at the outside 69
Early evidence for a pore came from biophysics 71
There is a diversity of K channels 72
Voltage-gated Na channels are less diverse 73
Ion channels can be highly localized 78
Voltage-gated channels form a gene superfamily 81
The crystal structure shows a pore! 85
Patch clamp reveals stochastic opening of single ion channels 87
Recapitulation 92

CHAPTER 4 VOLTAGE-GATED CALCIUM CHANNELS 95

Early work found Ca channels in every excitable cell 98
Ca²⁺ ions can regulate contraction, secretion, and gating 100
Ca²⁺ dependence imparts voltage dependence 108
Multiple channel types: Dihydropyridine-sensitive channels 110
Neurons have many HVA Ca-channel subtypes 115
Voltage-gated Ca channels form a homologous gene family 117
A note on Ca-channel nomenclature 119
Permeation and ionic block require binding in the pore 120
Do all Ca channels inactivate? 124
Channel opening is voltage-dependent and delayed 127
Overview of voltage-gated Ca channels 128

CHAPTER 5 POTASSIUM CHANNELS AND CHLORIDE CHANNELS 131

Fast delayed rectifiers keep short action potentials short 134
Slow delayed rectifiers serve other roles 134

Transient outward currents space repetitive responses 136
Shaker opens the way for cloning and mutagenesis of K channels 140
Ca²⁺-dependent K currents make long hyperpolarizing pauses 143
Spontaneously active cells can serve as pacemakers 147
Inward rectifiers permit long depolarizing responses 149
What are K_{ir} channels used for? 153
The 4TM and 8TM K channels 154
The bacterial KcsA channel is much like eukaryotic K channels 155
An overview of K channels 156
A hyperpolarization-activated cation current contributes to pacemaking 158
Several strategies underlie slow rhythmicity 160
Cl channels stabilize the membrane potential 160
Cl channels have multiple functions 162

CHAPTER 6 LIGAND-GATED CHANNELS OF FAST CHEMICAL SYNAPSES 169

Ligand-gated receptors have several architectures 170
Acetylcholine communicates the message at the neuromuscular junction 172
Agonists can be applied to receptors in several ways 176
The decay of the endplate current reflects channel gating kinetics 177
Fluctuation analysis supported the Magleby-Stevens hypothesis 179
The ACh receptor binds more than one ACh molecule 182
Gaps in openings reveal slow agonist unbinding 183
Agonist usually remains bound while the channel is open 184
Ligand-gated receptors desensitize 184
An allosteric kinetic model 185
Recapitulation of nAChR channel gating 187
The nicotinic ACh receptor is a cation-permeable channel with little selectivity 187
Fast chemical synapses are diverse 188
Fast inhibitory synapses use anion-permeable channels 191
Excitatory amino acids open cation channels 195
Recapitulation of fast chemical synaptic channels 199

**CHAPTER 7 MODULATION, SLOW SYNAPTIC ACTION,
AND SECOND MESSENGERS 201**

- cAMP is the classic second messenger 204
- cAMP-dependent phosphorylation augments I_{Ca} in the heart 207
- Rundown could be related to phosphorylation 211
- cAMP acts directly on some channels 211
- There are many G-protein-coupled second-messenger pathways 212
- ACh reveals a shortcut pathway 217
- Synaptic action is modulated 220
- G-protein-coupled receptors always have pleiotropic effects 224
- Encoding is modulated 226
- Pacemaking is modulated 228
- Slow versus fast synaptic action 232
- Second messengers are launched by other types of receptors 234
- First overview on second messengers and modulation 236

**CHAPTER 8 SENSORY TRANSDUCTION
AND EXCITABLE CELLS 237**

- Sensory receptors make an electrical signal 237
- Mechanotransduction is quick and direct 239
- Visual transduction is slow 248
- Vertebrate phototransduction uses cyclic GMP 250
- Phototransduction in flies uses a different signaling pathway 257
- Channels are complexed with other proteins 258
- Chemical senses use all imaginable mechanisms 259
- Pain sensation uses transduction channels 261
- What is an excitable cell? 263

**CHAPTER 9 CALCIUM DYNAMICS, EPITHELIAL TRANSPORT, AND
INTERCELLULAR COUPLING 269**

- Intracellular organelles have ion channels 269
- IP_3 -receptor channels respond to hormones 274
- Ca-release channels can be studied in lipid bilayers 276
- The ryanodine receptor of skeletal muscle has recruited a voltage sensor 278
- Voltage-gated Ca channels are the voltage sensor for ryanodine receptors 283

IP ₃ is not the only Ca ²⁺ -mobilizing messenger	286
Intracellular stores can gate plasma-membrane Ca channels	287
The extended TRP family is diverse	290
Mitochondria clear Ca ²⁺ from the cytoplasm by a channel	291
Protons have channels	292
Transport epithelia are vectorially constructed	293
Water moves through channels as well	299
Cells are coupled by gap junctions	300
All cells have other specialized intracellular channels	304
Recapitulation of factors controlling gating	305

PART II

PRINCIPLES AND MECHANISMS OF FUNCTION
CHAPTER 10 ELEMENTARY PROPERTIES OF IONS IN SOLUTION 309

Early electrochemistry	310
Aqueous diffusion is just thermal agitation	312
The Nernst-Planck equation describes electrodiffusion	315
Uses of the Nernst-Planck equation	319
Brownian dynamics describes electrodiffusion as stochastic motions of particles	321
Electrodiffusion can also be described as hopping over barriers	322
Ions interact with water	326
The crystal radius is given by Pauling	326
Ion hydration energies are large	328
The “hydration shell” is dynamic	331
“Hydrated radius” is a fuzzy concept	335
Activity coefficients reflect weak interactions of ions in solution	338
Equilibrium ion selectivity can arise from electrostatic interactions	342
Recapitulation of independence	344

CHAPTER 11 ELEMENTARY PROPERTIES OF PORES 347

Early pore theory	347
Ohm’s law sets limits on the channel conductance	351

The diffusion equation also sets limits on the maximum current 352

Summary of limits from macroscopic laws 354

Dehydration rates can reduce mobility in narrow pores 355

Single-file water movements can lower mobility 356

Ion fluxes may saturate 357

Long pores may have ion flux coupling 358

Ions must overcome electrostatic barriers 360

Ions could have to overcome mechanical barriers 362

Gramicidin A is the best-studied model pore 363

Electrostatic barriers are lowered in K channels 369

A high turnover number is good evidence for a pore 371

Some carriers have pore-like properties 374

Recapitulation of pore theory 375

CHAPTER 12 COUNTING CHANNELS AND MEASURING FLUCTUATIONS 377

Neurotoxins count toxin receptors 378

Gating current counts mobile charges within the membrane 379

Digression on the amplitudes of current fluctuations 383

Fluctuation amplitudes measure the number and size of elementary units 385

A digression on microscopic kinetics 387

The patch clamp measures single-channel currents directly 393

Summary of single-channel conductance measurements 396

Thoughts on the conductance of channels 400

Channels are not crowded 402

CHAPTER 13 STRUCTURE OF CHANNEL PROTEINS 405

The nicotinic ACh receptor is a pentameric glycoprotein 406

Complete amino acid sequences were determined by cloning 407

Ligand-gated receptors form a large homologous family 411

Determining topology requires chemistry 414

Electron microscopy shows a tall hourglass 419

A partial crystal structure shows a pentameric ring 421

Voltage-gated channels also became a gene superfamily 423

Are K channels tetramers? 427

Auxiliary subunits change channel function 428

KcsA is a teepee 433
 Electron paramagnetic resonance probes structure 434
 Kv channels have a lot of mass hanging as a
 layer cake in the cytoplasm 435
 Excitatory GluRs combine parts of two bacterial proteins 437
 Is there a pattern? 440

CHAPTER 14 SELECTIVE PERMEABILITY: INDEPENDENCE 441

Partitioning into the membrane can control permeation 442
 The Goldman-Hodgkin-Katz equations describe a
 partitioning-electrodiffusion model 445
 Uses of the Goldman-Hodgkin-Katz equations 449
 Derivation of the Goldman-Hodgkin-Katz equations 450
 A more generally applicable voltage equation 453
 Voltage-gated channels have high ion selectivity 454
 Other channels have low ion selectivity 460
 Ion channels act as molecular sieves 462
 Selectivity filters can be dynamic 469
 First recapitulation of selective permeability 469

**CHAPTER 15 SELECTIVE PERMEABILITY: SATURATION
 AND BINDING 471**

Ionic currents do not obey the predictions of independence 471
 Simple models for one-ion channels 478
 Na channel permeation can be described by state models 483
 Some channels must hold more than one ion at a time 486
 Single-file multi-ion models 489
 Multi-ion pores can select by binding 494
 Anion channels have complex transport properties 497
 Recapitulation of selective permeation 499
 What do permeation models mean? 500

CHAPTER 16 CLASSICAL MECHANISMS OF BLOCK 503

Affinity and time scale of the drug-receptor reaction 504
 Binding in the pore can make voltage-dependent block:
 Protons 506
 Some blocking ions must wait for gates to open:
 Internal TEA 511

- Local anesthetics give use-dependent block 516
- Local anesthetics alter gating kinetics 520
- Antiarrhythmic action 524
- State-dependent block of ligand-gated receptors 525
- Multi-ion channels may show multi-ion block 527
- STX and TTX are the most potent and selective blockers of Na channels 533
- Some scorpion toxins plug K channel pores 535
- Recapitulation of blocking mechanisms 536

CHAPTER 17 STRUCTURE-FUNCTION STUDIES OF PERMEATION AND BLOCK 539

- Charges in the M2 segment help nAChR channels conduct 540
- What can a charged residue do? 545
- Channel blockers interact with M2 and M1 segments 548
- Cysteine substitution can test accessibility of residues 551
- The S5-S6 linker forms the outer funnel and pore in K channels 553
- The S5-S6 linker forms the outer funnel and pore in Na channels 558
- Divalent/monovalent selectivity depends on charge density and electrostatics 561
- The S6/M2 segment contributes to the inner pore 564
- Inward rectification is voltage-dependent block 566
- Functions are not independent 572
- Recapitulation of structure-function studies 573

CHAPTER 18 GATING MECHANISMS: KINETIC THINKING 575

- First recapitulation of gating 575
- Proteins change conformation during activity 577
- Events in proteins occur across the frequency spectrum 581
- Topics in classical kinetics 583
- Additional kinetic measures are essential 589
- Most gating charge moves in significant steps 594
- A new round of kinetic models for Shaker K channel gating 594
- For BK channels we need three-dimensional kinetic models 597
- Na_v and Ca_v channels require more complex models 599
- Channels can have several open states 600
- Conclusion of channel gating kinetics 602

CHAPTER 19 GATING: VOLTAGE SENSING AND INACTIVATION 603

- Simple equilibrium principles of voltage sensing and charge movement 603
- Early mutagenesis points to the S4 segment 605
- The S4 segment does carry much of the gating charge 608
- Several residues in S4 move fully across the membrane 612
- Movements around S4 are observed optically 615
- Recapitulation of voltage sensing 617
- What is a gate? 617
- Pronase clips inactivation gates 620
- Inactivation is coupled to activation 622
- Microscopic inactivation can be rapid and voltage-independent 624
- Fast inactivation gates are tethered plugs 628
- Fast inactivation of Na channels involves a cytoplasmic loop 631
- Slow inactivation is distinct from fast inactivation:
 - A new gate? 632
- Recapitulation of inactivation gating 634

CHAPTER 20 MODIFICATION OF GATING IN VOLTAGE-SENSITIVE CHANNELS 635

- Many peptide toxins slow inactivation 636
- A group of lipid-soluble toxins changes many properties of Na channels 641
- Reactive reagents eliminate inactivation of Na channels 645
- External Ca^{2+} ions shift voltage-dependent gating 646
- Surface-potential calculations 651
- Much of the negative charge is on the channel 657
- Surface-potential theory has shortcomings 658
- Recapitulation of gating modifiers 660
- What are models for? 661

CHAPTER 21 CELL BIOLOGY AND CHANNELS 663

- Channel genes can be identified by classical genetics 664
- Expression of channels is dynamic during development 667
- Transcription of nAChR genes is regulated by activity, position, and cell type 669
- Channel mRNA can be alternatively spliced and edited 673

Channel synthesis and assembly occurs on membranes 676
Sequences on channel subunits are used for quality control 679
Membrane proteins can be localized and immobilized 680
nACh receptors become clustered and immobilized 682
Multivalent PDZ proteins cluster channels
 at glutamatergic synapses 687
Channels are sorted and move in vesicles 687
Recapitulation 691

CHAPTER 22 EVOLUTION AND ORIGINS 693

Channels of lower animals resemble those of higher animals 699
Channels are prevalent in eukaryotes and prokaryotes 701
Channels mediate sensory-motor responses 705
Channel evolution is slow 709
Gene duplication and divergence create families of genes 713
Proteins are mosaics 716
Speculations on channel evolution 719
Conclusion 722

REFERENCES 723

INDEX 788